

**$N(2250)$**   $9/2^-$  $I(J^P) = \frac{1}{2}(\frac{9}{2}^-)$  Status: \*\*\*

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 **$N(2250)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>2150 to 2250 (<math>\approx 2200</math>) OUR ESTIMATE</b>			
2195 $\pm$ 45	AFZAL	20	DPWA Multichannel
2157 $\pm$ 3 $\pm$ 14	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
2195 $\pm$ 45	ANISOVICH	12A	DPWA Multichannel
2150 $\pm$ 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2127	HUNT	19	DPWA Multichannel
2062	ROENCHEN	15A	DPWA Multichannel
2217	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2187	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

 **$-2 \times$ IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>350 to 500 (<math>\approx 420</math>) OUR ESTIMATE</b>			
470 $\pm$ 50	AFZAL	20	DPWA Multichannel
412 $\pm$ 7 $\pm$ 44	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
470 $\pm$ 50	ANISOVICH	12A	DPWA Multichannel
360 $\pm$ 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
262	HUNT	19	DPWA Multichannel
403	ROENCHEN	15A	DPWA Multichannel
431	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
388	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

 **$N(2250)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>20 to 30 (<math>\approx 25</math>) OUR ESTIMATE</b>			
24 $\pm$ 1 $\pm$ 5	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
26 $\pm$ 5	ANISOVICH	12A	DPWA Multichannel
20 $\pm$ 6	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
8.2	ROENCHEN	15A	DPWA Multichannel
21	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
21	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## PHASE $\theta$

VALUE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
<b>-60 to -20 (<math>\approx -40</math>) OUR ESTIMATE</b>			
-62 $\pm$ 1 $\pm$ 11	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
-38 $\pm$ 25	ANISOVICH	12A	DPWA Multichannel
-50 $\pm$ 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-64	ROENCHEN	15A	DPWA Multichannel
-20	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
<sup>1</sup> Fit to the amplitudes of HOEHLER 79.			

## $N(2250)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### Normalized residue in $N\pi \rightarrow N(2250) \rightarrow N\eta$

MODULUS	PHASE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.017	-89	ROENCHEN	15A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow N(2250) \rightarrow \Lambda K$

MODULUS	PHASE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.006	-101	ROENCHEN	15A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow N(2250) \rightarrow \Sigma K$

MODULUS	PHASE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.002	70	ROENCHEN	15A	DPWA Multichannel

## $N(2250)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>2250 to 2320 (<math>\approx 2280</math>) OUR ESTIMATE</b>			
2200 $\pm$ 10	<sup>1</sup> HUNT	19	DPWA Multichannel
2280 $\pm$ 40	ANISOVICH	12A	DPWA Multichannel
2302 $\pm$ 6	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2250 $\pm$ 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2268 $\pm$ 15	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

<sup>1</sup> Statistical error only.

## $N(2250)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>300 to 600 (<math>\approx 500</math>) OUR ESTIMATE</b>			
343 $\pm$ 51	<sup>1</sup> HUNT	19	DPWA Multichannel
520 $\pm$ 50	ANISOVICH	12A	DPWA Multichannel
628 $\pm$ 28	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
480 $\pm$ 120	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
300 $\pm$ 40	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

<sup>1</sup> Statistical error only.

## N(2250) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 N\pi$	0.05 to 0.15 ( $\approx 0.10$ )
$\Gamma_2 N\eta$	
$\Gamma_3 \Lambda K$	

## N(2250) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	$\Gamma_1/\Gamma$
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<b>5 to 15 (<math>\approx 10</math>) OUR ESTIMATE</b>	
8.5 $\pm$ 0.4	<sup>1</sup> HUNT              19    DPWA Multichannel
12 $\pm$ 4	ANISOVICH            12A    DPWA Multichannel
8.9 $\pm$ 0.1	<sup>1</sup> ARNDT            06    DPWA $\pi N \rightarrow \pi N, \eta N$
10 $\pm$ 2	CUTKOSKY            80    IPWA $\pi N \rightarrow \pi N$
10 $\pm$ 2	HOEHLER            79    IPWA $\pi N \rightarrow \pi N$

<sup>1</sup> Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$	$\Gamma_2/\Gamma$
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<5	<sup>1</sup> HUNT              19    DPWA Multichannel

<sup>1</sup> Statistical error only.

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$	$\Gamma_3/\Gamma$
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
2.0 $\pm$ 0.6	<sup>1</sup> HUNT              19    DPWA Multichannel

<sup>1</sup> Statistical error only.

## N(2250) PHOTON DECAY AMPLITUDES AT THE POLE

### N(2250) $\rightarrow p\gamma$ , helicity-1/2 amplitude $A_{1/2}$

<u>MODULUS (GeV<math>^{-1/2}</math>)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-0.090^{+0.025}_{-0.022}$	$-49^{+17}_{-11}$	ROENCHEN	14	DPWA
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
0.026	-26	ROENCHEN	15A	DPWA Multichannel

### N(2250) $\rightarrow p\gamma$ , helicity-3/2 amplitude $A_{3/2}$

<u>MODULUS (GeV<math>^{-1/2}</math>)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.049^{+0.031}_{-0.019}$	$171^{+36}_{-43}$	ROENCHEN	14	DPWA
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
0.119	-42	ROENCHEN	15A	DPWA Multichannel

## ***N(2250)* BREIT-WIGNER PHOTON DECAY AMPLITUDES**

### ***N(2250) → pγ, helicity-1/2 amplitude A<sub>1/2</sub>***

VALUE (GeV <sup>-1/2</sup> )	DOCUMENT ID	TECN	COMMENT
0.0006 ± 0.0037	<sup>1</sup> HUNT	19	DPWA Multichannel

<sup>1</sup> Statistical error only.

### ***N(2250) → pγ, helicity-3/2 amplitude A<sub>3/2</sub>***

VALUE (GeV <sup>-1/2</sup> )	DOCUMENT ID	TECN	COMMENT
0.013 ± 0.004	<sup>1</sup> HUNT	19	DPWA Multichannel

<sup>1</sup> Statistical error only.

---

## ***N(2250) REFERENCES***

AFZAL	20	PRL 125 152002	F. Afzal <i>et al.</i>	(CBELSA/TAPS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP

---